

# Tik-61.3030 Principles of Neural Computing

Raivio, Venna

## Exercise 7

- In section 4.6 (part 5, Haykin pp. 181) it is mentioned that the inputs should be normalized to accelerate the convergence of the back-propagation learning process by preprocessing them as follows: 1) their mean should be close to zero, 2) the input variables should be uncorrelated, and 3) the covariances of the decorrelated inputs should be approximately equal.
  - Devise a method based on principal component analysis performing these steps.
  - Is the proposed method unique?
- A continuous function  $h(x)$  can be approximated with a step function in the closed interval  $x \in [a, b]$  as illustrated in Figure 1.
  - Show how a single column, that is of height  $h(x_i)$  in the interval  $x \in (x_i - \Delta x/2, x_i + \Delta x/2)$  and zero elsewhere, can be constructed with a two-layer MLP. Use two hidden units and the sign function as the activation function. The activation function of the output unit is taken to be linear.
  - Design a two-layer MLP consisting of such simple sub-networks which approximates function  $h(x)$  with a precision determined by the width and the number of the columns.
  - How does the approximation change if  $\tanh$  is used instead of  $\text{sign}$  as an activation function in the hidden layer?
- A MLP is used for a classification task. The number of classes is  $C$  and the classes are denoted with  $\omega_1, \dots, \omega_C$ . Both the input vector  $\mathbf{x}$  and the corresponding class are random variables, and they are assumed to have a joint probability distribution  $p(\mathbf{x}, \omega)$ . Assume that we have so many training samples that the back-propagation algorithm minimizes the following expectation value:

$$E \left( \sum_{i=1}^C [y_i(\mathbf{x}) - t_i]^2 \right),$$

where  $y_i(\mathbf{x})$  is the actual response of the  $i$ th output neuron and  $t_i$  is the desired response.

- Show that the theoretical solution of the minimization problem is

$$y_i(\mathbf{x}) = E(t_i | \mathbf{x}).$$

- Show that if  $t_i = 1$  when  $\mathbf{x}$  belongs to class  $\omega_i$  and  $t_i = 0$  otherwise, the theoretical solution can be written

$$y_i(\mathbf{x}) = P(\omega_i | \mathbf{x})$$

which is the optimal solution in a Bayesian sense.

- Sometimes the number of the output neurons is chosen to be less than the number of classes. The classes can be then coded with a binary code. For example in the case of 8 classes and 3 output neurons, the desired output for class  $\omega_1$  is  $[0, 0, 0]^T$ , for class  $\omega_2$  it is  $[0, 0, 1]$  and so on. What is the theoretical solution in such a case?




Figure 1: Function approximation with a step function.