

# T-61.231 Principles of Pattern Recognition

Exercise 1: 23.9.2002

## 1. COURSE ASSIGNMENTS

- Instructions at the course website, <http://www.cis.hut.fi/Opinnot/Tik-61.231/>
  - Fruit shape classification, texture classification or handwritten digit classification.
  - Assignments are to be done individually.
  - The deadline for the assignments is 31.1.2003. The experiments will take some time so start working before the last weekend.
  - Feel free to contact the course assistant ([matti.aksela@hut.fi](mailto:matti.aksela@hut.fi)) if you have any questions or problems.
2. Describe a method of data preprocessing capable of transforming measured data into independent features and minimizing the error resulting from dimension reduction.
  3. Let  $\omega_i, i = 1, 2, \dots, M$ , be the classes for a classification task. Divide the interval of the possible values of a feature into subintervals  $\Delta_j, j = 1, 2, \dots, K$ . If  $P(\Delta_j)$  is the probability of having values in the respective subinterval and  $P(\omega_i|\Delta_j)$  the probability of occurrence of  $\omega_i$  in this interval, show that the so-called *ambiguity function*

$$A = - \sum_i \sum_j P(\Delta_j) P(\omega_i|\Delta_j) \log_M(P(\omega_i|\Delta_j))$$

is equal to 1 for completely overlapped distributions and is equal to 0 for perfectly separated ones. For all other cases it takes intermediate values. Thus, it can be used as a distribution overlap criterion. (*Theodoridis, exercise 5.5, p.175*)

4. Let  $P$  be the probability that event  $A$  occurs. The probability that event  $A$  occurs  $k$  times in a sequence of  $N$  independent experiments is given by the binomial distribution

$$\binom{N}{k} P^k (1 - P)^{N-k}$$

Show that  $E[k] = NP$  and  $\sigma_k^2 = NP(1 - P)$ . (*Theodoridis, exercise 10.1, p.348*)