Publications of the Adaptive Informatics Research Centre

[1] A. Ajanki, J. Nikkilä, and S. Kaski. Discovering condition-dependent Bayesian networks for gene regulation. In *Proceedings of the Fifth IEEE International Workshop on Genomic Signal Processing and Statistics*, 2007.

[2] M. Aksela and J. Laaksonen. Using diversity of errors for selecting members of a committee classifier. *Pattern Recognition*, 39:608–623, 2006.

[3] M. Aksela and J. Laaksonen. Adaptive combination of adaptive classifiers for handwritten character recognition. *Pattern Recognition Letters*, 28(1):136–143, 2007.

[4] E. Alhoniemi, A. Honkela, K. Lagus, J. Seppä, P. Wagner, and H. Valpola. Compact modeling of data using independent variable group analysis. Technical Report Report E3, Helsinki University of Technology, Espoo, 2006.

[5] E. Alhoniemi, A. Honkela, K. Lagus, J. Seppä, P. Wagner, and H. Valpola. Compact modeling of data using independent variable group analysis. *IEEE Transactions on Neural Networks*, 18(6):1762–1776, 2007.

[6] M. S. C. Almeida, H. Valpola, and J. Särelä. Separation of nonlinear image mixtures by denoising source separation. In *Proceedings of the 6th International Conference on Independent Component Analysis and Blind Signal Separation, ICA 2006*, pages 8–15, 2006.

[7] P. Bas and F. Cayre. Achieving subspace or key security for WOA using natural or circular watermarking. In *ACM Multimedia and Security Workshop 2006*, 2006.

[8] P. Bas and F. Cayre. Natural watermarking: a secure spread spectrum technique for WOA. In *8th Information Hiding Workshop (IH 2006) 2006*, 2006.

[9] P. Bas and J. Hurri. Vulnerability of DM watermarking of non-iid host signals to attacks utilising the statistics of independent components. *IEE Proceedings - Information Security*, 153(3):127–139, 2006.

[10] S. Borisov, A. Ilin, R. Vigário, and E. Oja. Comparison of BSS methods for the detection of alpha-activity components in EEG. In *6th Int. Conf. on Independent Component Analysis and Blind Signal Separation 2006*, pages 430–437, 2006.

[11] G. J. Brown and K. J. Palomäki. Reverberation. In D. Wang and G. J. Brown, editors, *Computational Auditory Scene Analysis: Principles, Algorithms and Applications*, pages 209–250, USA, 2006. Wiley/IEEE Press.

[12] F. Corona and A. Lendasse. Variable scaling for time series prediction. In *ESTSP 2007, European Symposium on Time Series Prediction, Espoo (Finland)*, pages 69–76, 2007.

[13] F. Corona, E. Liitiäinen, A. Lendasse, and R. Baratti. Measures of topological relevance based on the self-organizing map: Applications to process monitoring from spectroscopic measurements. In *EANN 2007, International Conference on Engineering Applications of Neural Networks, Thessaloniki (Greece)*, pages 24–33, 2007.

[14] F. Corona, E. Liitiäinen, A. Lendasse, and R. Baratti. Using functional representations in spectrophotoscopic variables selection and regression. In *SSC10, 10th Scandinavian Symposium on Chemometrics, Lappeenranta (Finland)*, page 29, 2007.

[15] F. Corona, L. Sassu, S. Melis, and R. Baratti. Measure of topological relevance for soft sensing product properties. In *DYCOPS 2007, IFAC International Symposium on Dynamics and Control of Process Systems, Cancun (Mexico)*, pages 175–180, 2007.

[16] M. Creutz, T. Hirsimäki, M. Kurimo, A. Puurula, J. Pylkkönen, V. Siivola, M. Varjokallio, E. Arisoy, M. Saraclar, and A. Stolcke. Analysis of morph-based speech recognition and the modeling of out-of-vocabulary words across languages. In *Human Language Technologies / The Annual Conference of the North American Chapter of the Association for Computational Linguistics 2007*, pages 380–387, 2007.

[17] M. Creutz, T. Hirsimäki, M. Kurimo, A. Puurula, J. Pylkkönen, V. Siivola, M. Varjokallio, E. Arisoy, M. Saraclar, and A. Stolcke. Morph-based speech recognition and modeling of out-of-vocabulary words across languages. *ACM Trans. Speech Lang. Process.*, 5(1 (Dec.)), 2007.

[18] M. Creutz and K. Lagus. Morfessor in the morpho challenge. In *PASCAL Challenge Workshop on Unsupervised segmentation of words into morphemes 2006*, 2006.

[19] M. Creutz and K. Lagus. Unsupervised models for morpheme segmentation and morphology learning. *ACM Transactions on Speech and Language Processing*, 4(1):3, 2007.

[20] M. Creutz, K. Lagus, and S. Virpioja. Unsupervised morphology induction using morfessor. In A. Yli-Jyrä, L. Karttunen, and J. Karhumäki, editors, *Finite-State Methods and Natural Language Processing, Lecture Notes in Computer Science*, pages 300–301, Berlin, Heidelberg, 2006. Springer.

[21] T. Deselaers, A. Hanbury, V. Viitaniemi, A. Benczur, M. Brendel, B. Daroczy, E. Balderas, H. Jair, T. Gevers, H. Gracidas, C. Arturo, S. C. H. Hoi, J. Laaksonen, M. Li, M. Castro, H. Marisol, H. Ney, X. Rui, N. Sebe, J. Stöttinger, and L. Wu. Overview of the ImageCLEF 2007 object retrieval task. In *Working notes of the CLEF 2007 Workshop*, 2007.

[22] M. Everingham, A. Zisserman, C. K. I. Williams, L. V. Gool, M. Allan, C. M. Bishop, O. Chapelle, N. Dalal, T. Deselaers, G. Dorkò, S. Duffner, J. Eichhorn, J. D. R. Farquhar, M. Fritz, C. Garcia, T. Griffiths, F. Jurie, T. Keysers, M. Koskela, J. Laaksonen, D. Larlus, B. L. Leibe, H. Meng, H. Ney, B. Schiele, C. Schmid, E. Seemann, J. Shawe-Taylor, A. Storkey, S. Szedmak, B. T. Triggs, I. Ulusoy, V. Viitaniemi, and J. Zhang. The 2005 PASCAL visual object classes challenge. In Magnini and

F. d'Alche Buc, editors, *Machine Learning Challenges. Evaluating Predictive Uncertainty, Visual Object Classification, and Recognizing Textual Entailment*, pages 117–176, Berlin/Heidelberg, 2006. Springer.

[23] R. Girdziusas and J. Laaksonen. How marginal likelihood inference unifies entropy, correlation and SNR-based stopping in nonlinear diffusion scale-spaces. In I. S. Kweon, Y. Yagi, S. B. Kang, and H. E. Zha, editors, *Proc. of Asian Conf. on Computer Vision, Lecture Notes in Computer Science, Vol. 4843*, pages 811–820. Springer, 2007.

[24] R. Girdziusas and J. Laaksonen. When is a discrete diffusion a scale-space? In D. Metaxas, B. C. Vemuri, A. Shashua, and H. E. Shum, editors, *Proc. of 11th Int. Conf. on Computer Vision*. IEEE, 2007.

[25] A. Gross, S.-L. Joutsiniemi, R. Rimon, and B. Appelberg. Correlation of symptom clusters of schizophrenia with absolute powers of main frequency bands in quantitative EEG. *Behavioral and Brain Functions*, 2:23, 2006.

[26] R. Hakala, T. Similä, M. Sirola, and J. Parviainen. Process state and progress visualization using self-organizing map. In E. e. a. Corchado, editor, *IDEAL 2006, LNCS 4224*, pages 73–80, Berlin Heidelberg, 2006. Springer-Verlag.

[27] D. R. Hardoon, J. Shawe-Taylor, A. Ajanki, K. Puolamäki, and S. Kaski. Information retrieval by inferring implicit queries from eye movements. In M. Meila and X. Shen, editors, *Proceedings of the Eleventh International Conference on Artificial Intelligence and Statistics*, 2007.

[28] M. Harva. A variational em approach to predicting uncertainty in supervised learning. In *World Congress on Computational Intelligence (WCCI'06)*, pages 11091–11095, 2006.

[29] M. Harva. A variational em approach to predictive uncertainty. *Neural Networks*, 20(4):550–558, 2007.

[30] M. Harva and A. Kaban. Variational learning for rectified factor analysis. *Signal Processing*, 87(3):509–527, 2007.

[31] M. Harva and S. Raychaudhury. Bayesian estimation of time delays between unevenly sampled signals. In *Int. Workshop on Machine Learning for Signal Processing (MLSP'06)*, pages 111–116, 2006.

[32] T. Hirsimäki. On compressing n-gram language models. In *IEEE International Conference on Acoustics 2007*, pages 949–952, 2007.

[33] T. Hirsimäki, M. Creutz, V. Siivola, M. Kurimo, S. Virpioja, and J. Pylkkönen. Unlimited vocabulary speech recognition with morph language models applied to finnish. *Computer, Speech and Language*, 20(4):515–541, 2006.

[34] J. Hollmén and J. Tikka. Compact and understandable descriptions of mixture of Bernoulli distributions. In M. Berthold, J. Shawe-Taylor, and N. Lavrac, editors, *Proceedings of the 7th International Symposium on Intelligent Data Analysis (IDA 2007)*, pages 1–12, Ljubljana, 2007. Springer-Verlag.

[35] A. Honkela. Distributed Bayes blocks for variational Bayesian learning. In *High Performance Computing for Statistical Inference 2006*, 2006.

[36] A. Honkela, J. Seppä, and E. Alhoniemi. Agglomerative independent variable group analysis. In *15th European Symposium on Artificial Neural Networks (ESANN 2007) 2007*, pages 55–60, 2007.

[37] A. Honkela, M. Tornio, T. Raiko, and J. Karhunen. Natural conjugate gradient in variational inference. Technical Report Report E10, Espoo, Finland, 2007.

[38] A. Honkela, H. Valpola, A. Ilin, and J. Karhunen. Blind separation of nonlinear mixtures by variational Bayesian learning. *Digital Signal Processing*, 17(5):914–934, 2007.

[39] T. Honkela. Models for self-organization of health care. In H. Toiviainen, F. Raitso, and K. Kosonen, editors, *Proceedings of FISCAR'07, abstracts*, page 80, Helsinki, 2007. University of Helsinki.

[40] T. Honkela. Philosophical aspects of neural, probabilistic and fuzzy modeling of language use and translation. In *Proceedings of IJCNN'07*. INNS, 2007.

[41] T. Honkela, V. Könönen, T. Lindh-Knuutila, and M.-S. Paukkeri. Simulating processes of language emergence, communication and agent modeling. In E. Hyvönen, T. Kauppinen, J. Kortela, M. Laukkanen, T. Raiko, and K. Viljanen, editors, *New Developments in Artificial Intelligence and the Semantic Web*, pages 129–132, Espoo, 2006. Finnish Artificial Intelligence Society.

[42] T. Honkela and M. Pöllä. Describing rich content: Future directions for the semantic web. In E. Hyvönen, T. Kauppinen, J. Kortela, M. Laukkanen, T. Raiko, and K. Viljanen, editors, *New Developments in Artificial Intelligence and the Semantic Web*, pages 143–148, Espoo, 2006. Finnish Artificial Intelligence Society.

[43] T. Honkela, T. Raiko, J. Kortela, and H. Valpola. *Proceedings of the Ninth Scandinavian Conference on Artificial Intelligence (SCAI 2006)*. Suomen tekoälyseura, Espoo, 2006.

[44] A. Ilin. Independent dynamics subspace analysis. In *14th European Symposium on Artificial Neural Networks 2006*, pages 345–350, 2006.

[45] A. Ilin, H. Valpola, and E. Oja. Exploratory analysis of climate data using source separation methods. *Neural Networks*, 19:155–167, 2006.

[46] A. Ilin, H. Valpola, and E. Oja. Extraction of climate components with structured variance. In *Proceedings of the IEEE World Congress on Computational Intelligence, WCCI 2006*, pages 10528–10535, 2006.

[47] A. Ilin, H. Valpola, and E. Oja. Finding interesting climate phenomena by exploratory statistical techniques. In *Fifth Conference on Artificial Intelligence Applications to Environmental Science 2007*, 2007.

[48] M. Inki. An easily computable eight times overcomplete ICA method for image data. In *Int. Conf. on Independent Component Analysis and Blind Signal Separation 2006*, 2006.

[49] N. Janasik and T. Honkela. Self-organizing map in qualitative research. In H. Toiviainen, F. Raitso, and K. Kosonen, editors, *Proceedings of FISCAR'07, abstracts*, page 79, Helsinki, 2007. University of Helsinki.

[50] J. Karhunen and T. Ukkonen. Generalizing independent component analysis for two related data sets. In *2006 IEEE World Congress on Computational Intelligence*. IEEE Computational Intelligence Society, 2006.

[51] J. Karhunen and T. Ukkonen. Extending ICA for finding jointly dependent components from two related data sets. *Neurocomputing*, 70(16-18):2969–2979, 2007.

[52] S. Kaski. Implicit feedback from eye movements for proactive information retrieval. In *NIPS 2006 Workshop on User Adaptive Systems 2006 http://www.ece.mcgill.ca/~smanno1///UserAdaptiveSystems.html*, 2006.

[53] S. Kaski. Ydintehtävät kunniaan. *Polysteekki*, (3):19, 2006.

[54] S. Kaski and J. Peltonen. Learning from relevant tasks only. In J. N. Kok, J. Koronacki, R. L. de Mantaras, S. Matwin, D. Mladenic, and A. Skowron, editors, *Machine Learning: ECML 2007 (Proceedings of the 18th European Conference on Machine Learning)*, pages 608–615, Berlin, 2007. Springer-Verlag.

[55] S. Kaski, J. Rousu, and E. Ukkonen. Probabilistic modeling and machine learning in structural and systems biology. *BMC Bioinformatics*, 8 (Suppl2):1–2, 2007.

[56] K. Kersting, L. De Raedt, and T. Raiko. Logical hidden markov models. *Journal of Artificial Intelligence Research*, 25:425–456, 2006.

[57] H. Keski-Säntti, T. Atula, J. Tikka, J. Hollmén, A. A. Mäkitie, and I. Leivo. Predictive value of histopathologic parameters in early squamous cell carcinoma of oral tongue. *Oral Oncology*, 2006.

[58] K. Kettunen, M. Sadeniemi, T. Lindh-Knuutila, and T. Honkela. Analysis of eu languages through text compression. In T. Salakoski, F. Ginter, S. Pyysalo, and T. Pahikkala, editors, *Advances in Natural Language Processing, 5th International Conference on NLP, FinTAL 2006*, pages 99–109. Springer, 2006.

[59] A. Klami and S. Kaski. Generative models that discover dependencies between data sets. In *2006 IEEE International Workshop on Machine Learning for Signal Processing 2006*, pages 123–128. IEEE, 2006.

[60] A. Klami and S. Kaski. Generative models that discover dependencies between data sets. Technical Report Report E2, Helsinki University of Technology, Espoo, Finland, 2006.

[61] A. Klami and S. Kaski. Local dependent components. In Z. Ghahramani, editor, *Proceedings of the 24th International Conference on Machine Learning (ICML 2007)*, pages 425–433. Omni Press, 2007.

[62] M. Klami and T. Honkela. Self-organized ordering of terms and documents in nsf awards data. In *Workshop on Self-Organizing Maps (WSOM 2007) 2007*, 2007.

[63] M. Klami and K. Lagus. Unsupervised word categorization using self-organizing maps and automatically extracted morphs. In *7th International Conference on Intelligent Data Engineering and Automated Learning (IDEAL 2006) 2006*, pages 912–919, 2006.

[64] T. Knuuttila, A.-M. Rusanen, and T. Honkela. Self-organizing maps as travelling computational templates. In *Proceedings of IJCNN'07*, pages 1231–1236, 2007.

[65] T. Kohonen. Self-organizing neural projections. *Neural Networks*, 19:723–733, 2006.

[66] T. Kohonen. Description of input patterns by linear mixtures of SOM models. Technical Report Report E8, Espoo, Finland, 2007.

[67] T. Kohonen and T. Honkela. Kohonen network. In E. M. Izhikevich, editor, *Scholarpedia*, page 1568, San Diego, California, 2007. The Neurosciences Institute, San Diego, California.

[68] Z. Koldovský, P. Tichavský, and E. Oja. Efficient variant of algorithm FastICA for independent component analysis attaining the cramér-rao lower bound. *IEEE Transactions on Neural Networks*, 17(5):1265–1277, 2006.

[69] S. Kollias, A. Stafylopatis, W. Duch, and E. E. , Oja. *Artifical Neural Networks - ICANN 2006, Volume I, Lecture Notes in Computer Science, 4131*. Springer, Berlin, Germany, 2006.

[70] S. Kollias, A. Stafylopatis, W. Duch, and E. E. Oja. *Artifical Neural Networks - ICANN 2006, Volume II, Lecture Notes in Computer Science, 4132*. Springer, Berlin, Germany, 2006.

[71] M. Korpela and J. Hollmén. Extending an algorithm for clustering gene expression time series. In J. Rousu, S. Kaski, and E. Ukkonen, editors, *Probabilistic Modeling and Machine Learning in Structural and Systems Biology 2006*, pages 120–124, Helsinki, 2006.

[72] H. Kortejärvi, J. Malkki, M. Marvola, A. Urtti, M. Yliperttula, and P. Pajunen. Level a in vitro-in vivo correlation (ivivc) model with Bayesian approach to formulation series. *Journal of Pharmaceutical Sciences*, 95(7):1595–1605, 2006.

[73] M. Koskela and J. Laaksonen. Semantic concept detection from news videos with self-organizing maps. In *Proceedings of 3rd IFIP Conference on Artificial Intelligence Applications and Innovations*, pages 591–599, 2006.

[74] M. Koskela, M. Sjöberg, J. Laaksonen, V. Viitaniemi, and H. Muurinen. Rushes summarization with self-organizing maps. In *Proceedings of the TRECVID Workshop on Video Summarization (TVS'07)*, pages 45–49, Augsburg, 2007. ACM Press.

[75] M. Koskela, M. Sjöberg, V. Viitaniemi, J. Laaksonen, and P. Prentis. PicSOM experiments in trecvid 2007. In *Proceedings of the TRECVID 2007 Workshop*, Gaithersburg, 2007.

[76] M. Koskela and A. F. Smeaton. An empirical study of inter-concept similarities in multimedia ontologies. In *Proceedings of the 6th ACM international conference on Image and video retrieval (CIVR 2007)*, pages 464–471, Amsterdam, 2007. ACM Press.

[77] M. Koskela, A. F. Smeaton, and J. Laaksonen. Measuring concept similarities in multimedia ontologies: Analysis and evaluations. *IEEE Transactions on Multimedia*, 9(5):912–922, 2007.

[78] M. Kurimo, M. Creutz, and K. Lagus. *Proceedings of the PASCAL Challenge Workshop on Unsupervised segmentation of words into morphemes*. PASCAL European Network of Excellence, Venice, Italy, 2006.

[79] M. Kurimo, M. Creutz, and V. Turunen. Overview of morpho challenge in clef 2007. In A. Nardi and C. Peters, editors, *Working Notes for the CLEF 2007 Workshop.* CLEF, 2007.

[80] M. Kurimo, M. Creutz, and V. Turunen. Unsupervised morpheme analysis evaluation by ir experiments - morpho challenge 2007. In A. Nardi and C. Peters, editors, *Working Notes for the CLEF 2007 Workshop.* CLEF, 2007.

[81] M. Kurimo, M. Creutz, and M. Varjokallio. Unsupervised morpheme analysis evaluation by a comparison to a linguistic gold standard - morpho challenge 2007. In A. Nardi and C. Peters, editors, *Working Notes for the CLEF 2007 Workshop.* CLEF, 2007.

[82] M. Kurimo, M. Creutz, M. Varjokallio, E. Arisoy, and M. Saraclar. Unsupervised segmentation of words into morphemes - challenge 2005, an introduction and evaluation report. In *PASCAL Challenge Workshop on Unsupervised segmentation of words into morphemes 2006*, 2006.

[83] M. Kurimo, M. Creutz, M. Varjokallio, E. Arisoy, and M. Saraclar. Unsupervised segmentation of words into morphemes - morpho challenge 2005: Application to automatic speech recognition. In *International Conference on Spoken Language Processing - Interspeech 2006 (ICSLP), Pittsburgh, Pennsylvania, USA, September 17-21*, 2006.

[84] M. Kurimo, A. Puurula, E. Arisoy, V. Siivola, T. Hirsimäki, J. Pylkkönen, T. Alumäe, and M. Saraclar. Unlimited vocabulary speech recognition for agglutinative languages. In *Human Language Technology 2006*, 2006.

[85] T. Kärnä, F. Corona, and A. Lendasse. Compressing spectral data using optimized gaussian basis. In *Proceedings of Chimiometrie 2007, Lyon (France)*, 2007.

[86] T. Kärnä and A. Lendasse. Comparison of fda based time series prediction methods. In *ESTSP 2007, European Symposium on Time Series Prediction, Espoo (Finland)*, pages 77–86, 2007.

[87] T. Kärnä and A. Lendasse. Gaussian fitting based fda for chemometrics. In F. Sandoval, A. Prieto, J. Cabestany, M. Graña, editors, *Computational and Ambient Intelligence, 9th International Work-Conference on Artificial Neural Networks, IWANN 2007, San Sebastián, Spain, June 2007, Proceedings*, pages 186–193. Springer-Verlag, 2007.

[88] T. Kärnä and A. Lendasse. Optimal gaussian basis functions for chemometrics. In *SSC10, 10th Scandinavian Symposium on Chemometrics, Lappeenranta (Finland)*, page 79, 2007.

[89] T. Kärnä, F. Rossi, and A. Lendasse. LS-SVM functional network for time series prediction. In *ESANN 2006 2006*, pages 473–478, 2006.

[90] V. Könönen. Dynamic pricing based on asymmetric multiagent reinforcement learning. *International Journal of Intelligent Systems*, 21:73–98, 2006.

[91] J. Laaksonen, M. Koskela, M. Sjöberg, V. Viitaniemi, and H. Muurinen. Video summarization with SOMs. In *Proceedings of the 6th Int. Workshop on Self-Organizing Maps (WSOM 2007)*, Bielefeld, 2007.

[92] J. Laaksonen and V. Viitaniemi. Emergence of ontological relations from visual data with self-organizing maps. In *Proceedings of the 9th Scandinavian Conference on Artificial Intelligence (SCAI 2006)*, pages 31–38, 2006.

[93] K. Lagus and T. Honkela. Kognitiivinen mallintaminen. In M. Hämäläinen, M. Laine, O. Aaltonen, and A. Revonsuo, editors, *Mieli ja aivot. Kognitiivisen neurotieteen oppikirja*, pages 61–70, Turku, 2006. Kognitiivisen neurotieteen tutkimuskeskus, Turun yliopisto.

[94] D. T. H. Lai, J. Pakkanen, R. Begg, and M. Palaniswami. Computational intelligence and sensor networks: A convergence of technologies for future biomedical system. In N. Wickramasinghe, editor, *Encyclopedia of Health and Information Systems*, Australia, 2007. Idea House Publishing.

[95] A. Lendasse. *Proceedings of the European Symposium on Time Series Prediction (ESTSP'07)*. Espoo, 2007.

[96] A. Lendasse and F. Corona. Optimal linear projection based on noise variance estimation. In *Proceedings of Chimiometrie 2007, Lyon (France)*, 2007.

[97] A. Lendasse and F. Corona. Optimal linear projection based on noise variance estimation - application to spectrometric modeling. In *SSC10, 10th Scandinavian Symposium on Chemometrics, Lappeenranta (Finland)*, page 26, 2007.

[98] A. Lendasse, F. Corona, J. Hao, N. Reyhani, and M. Verleysen. Determination of the mahalanobis matrix using nonparametric noise estimations. In *ESANN 2006 2006*, pages 227–232, 2006.

[99] A. Lendasse, F. Corona, S.-P. Reinikainen, and P. Minkkinen. Functional variable selection using noise variance estimation. In *Proceedings of Chimiometrie 2007, Lyon (France)*, 2007.

[100] A. Lendasse and E. Liitiäinen. Variable scaling for time series prediction: Application to the estsp'07 and the nn3 forecasting competitions. In *IJCNN 2007, International Joint Conference on Neural Networks, Orlando, Florida, USA*, pages 2812–2816, 2007.

[101] A. Lendasse, E. Oja, O. Simula, and M. Verleysen. Time series prediction competition: The cats benchmark. *Neurocomputing*, 70(13-15):2325–2329, 2007.

[102] E. Liitiäinen, F. Corona, and A. Lendasse. Nearest neighbor distributions and noise variance estimation. In *ESANN 2007, European Symposium on Artificial Neural Networks, Bruges (Belgium)*, pages 67–72, 2007.

[103] E. Liitiäinen, F. Corona, and A. Lendasse. Non-parametric residual variance estimation in supervised learning. In F. Sandoval, A. Prieto, J. Cabestany, M. Graña, editors, *Computational and Ambient Intelligence, 9th International Work-Conference on Artificial Neural Networks, IWANN 2007, San Sebastián, Spain, June 2007, Proceedings*, pages 63–71. Springer-Verlag, 2007.

[104] E. Liitiäinen and A. Lendasse. Long-term prediction of time series using state-space models. In *Lecture Notes in Computer Science, Volume 4132/2006*, pages 181–190. Springer Berlin / Heidelberg, 2006.

[105] E. Liitiäinen, N. Reyhani, and A. Lendasse. Em-algorithm for training of state-space models with application to time series prediction. In *ESANN 2006 2006*, pages 137–142, 2006.

[106] T. Lindh-Knuutila, T. Honkela, and K. Lagus. Simulating meaning negotiation using observational language games. In P. e. a. Vogt, editor, *Symbol Grounding and Beyond: Proceedings of the Third International Workshop on the Emergence and Evolution of Linguistic Communication*, pages 168–179, Berlin/Heidelberg, 2006. Springer.

[107] P. Lindholm, P. Nymark, H. Wikman, K. Salmenkivi, A. Nicholson, M. V. Korpela, S. Kaski, S. Ruosaari, J. Hollmén, E. Vanhala, A. Karjalainen, S. Anttila, V. Kinnula, and S. Knuutila. Asbestos-associated malignancies in the lung and pleura show distinct genetic aberrations. *Lung cancer*, 54:15, 2006.

[108] L. Lindqvist, T. Honkela, and M. Pantzar. Visualizing practice theory through a simulation model. Technical Report Report E9, Helsinki University of Technology, Computer and Information Science, Espoo, 2007.

[109] S. Luyssaert, I. Janssens, M. Sulkava, D. Papale, A. Dolman, M. Reichstein, T. Suni, J. Hollmén, T. Vesala, D. Lousteau, B. Law, and E. Moors. Photosynthesis drives interannual variability in net carbon-exchange of pine forests at different latitudes. In *Proceedings of the Open Science Conference on the GHG Cycle in the Northern Hemisphere*, pages 86–87, Jena, Germany, 2006. CarboEurope, NitroEurope, CarboOcean, and Global Carbon Project.

[110] S. Luyssaert, I. A. Janssens, M. Sulkava, D. Papale, A. J. Dolman, M. Reichstein, J. Hollmén, J. G. Martin, T. Suni, T. Vesala, D. Lousteau, B. E. Law, and E. J. Moors. Photosynthesis drives anomalies in net carbon-exchange of pine forests at different latitudes. *Global Change Biology*, 13(10):2110–2127, 2007.

[111] S. Luyssaert, M. Sulkava, H. Raitio, J. Hollmén, and P. Merilä. Is n and s deposition altering the mineral nutrient composition of norway spruce and scots pine needles in finland? In J. Eichhorn, editor, *Proceedings of Symposium: Forests in a Changing Environment - Results of 20 years ICP Forests Monitoring*, pages 80–81, Göttingen, Germany, 2006. ICP Forests, European Commission, Nordwestdeutsche Versuchsanstalt.

[112] N. Matsuda, J. Laaksonen, F. Tajima, N. Miyatake, and H. Sato. Comparison with observer appraisals of fundus images and diagnosis by using learning vector quantization. In *Proceedings of the 23rd Fuzzy System Symposium*, Nagoya, 2007.

[113] M. A. Mayer, V. Karkaletsis, K. Stamatakis, A. Leis, D. Villarroel, C. Thomeczek, M. Labsky, F. , Ló pez-Ostenero, and T. Honkela. Medieq - quality labelling of medical web content using multilingual information extraction. In L. Bos, L. Roa, K. Yogesan, B. O'Connell, A. Marsh, and B. Blobel, editors, *Medical and Care Compunetics 3*, pages 183–190, Amsterdam, Netherlands, 2006. IOS Press.

[114] Y. Miche, P. Bas, A. Lendasse, C. Jutten, and O. Simula. Advantages of using feature selection techniques on steganalysis schemes. In F. Sandoval, A. Prieto, J. Cabestany, M. Graña, editors, *Computational and Ambient Intelligence, 9th International Work-Conference on Artificial Neural Networks, IWANN 2007, San Sebastián, Spain, June 2007, Proceedings*, pages 606–613. Springer-Verlag, 2007.

[115] Y. Miche, P. Bas, A. Lendasse, O. Simula, and C. Jutten. Avantages de la sélection de caractéristiques pour la stéganalyse. In *GRETSI 2007, Groupe de Recherche et d'Etudes du Traitement du Signal et des Images, Troyes, France*, 2007.

[116] Y. Miche, B. Roue, A. Lendasse, and P. Bas. A feature selection methodology for steganalysis. In *Lecture Notes in Computer Science*, pages 49–59, Berlin / Heidelberg, Istanbul, 2006. Springer.

[117] M. Molinier, J. Laaksonen, and T. Häme. Self-organising maps for change detection and monitoring of human activity in satellite imagery. In *Proceedings of ESA-EUSC 2006*, 2006.

[118] M. Molinier, J. Laaksonen, and T. Häme. A self-organizing map framework for detection of man-made structures and changes in satellite imagery. In *Proceedings of IEEE International Geoscience And Remote Sensing Symposium*, 2006.

[119] M. Molinier, J. Laaksonen, and T. Häme. Detecting man-made structures and changes in satellite imagery with a content-based information retrieval system built on self-organizing maps. *IEEE Transactions on Geoscience and Remote Sensing*, 45(4):861–874, 2007.

[120] M. Molinier, J. Laaksonen, Y. Rauste, and T. Häme. Detecting changes in polarimetric sar data with content-based image retrieval. In *Proceedings of IEEE International Geoscience And Remote Sensing Symposium*, Barcelona, 2007.

[121] M. Multanen, K. Raivio, and P. Lehtimäki. Hierarchical analysis of GSM network performance data. In *ESANN 2006*, pages 449–454, 2006.

[122] H. Muurinen and J. Laaksonen. Video segmentation and shot boundary detection using self-organizing maps. In *Proceedings of 15th Scandinavian Conference on Image Analysis (SCIA 2007)*, pages 770–779, Aalborg, 2007.

[123] J. Nikkilä, A. Honkela, and S. Kaski. Exploring the independence of gene regulatory modules. In J. Rousu, S. Kaski, and E. Ukkonen, editors, *Proceedings of Probabilistic Modeling and Machine Learning in Structural and Systems Biology (PMSB 2006)*, pages 131–136. Helsinki University Printing House, 2006.

[124] L. Nolan, M. Harva, A. Kabán, and S. Raychaudhury. A data-driven Bayesian approach for finding young stellar populations in early-type galaxies from their uv-optical spectra. *Monthly Notices of the Royal Astronomical Society*, 366(1):321–338, 2006.

[125] K. Nybo, J. Venna, and S. Kaski. The self-organizing map as a visual neighbor retrieval method. In *6th International Workshop on Self-Organizing Maps 2007*, 2007.

[126] P. Nymark, P. M. Lindholm, M. V. Korpela, L. Lahti, S. Ruosaari, S. Kaski, J. Hollmén, S. Anttila, V. L. Kinnula, and S. Knuutila. Gene expression profiles in asbestos-exposed epithelial and mesothelial lung cell lines. *BMC Genomics*, 8:1–14, 2007.

[127] E. Oja, M. Sjöberg, V. Viitaniemi, and J. Laaksonen. Emergence of semantics from multimedia databases. In *Computational Intelligence: Principles and Practice*. IEEE Computational Intelligence Society, 2006.

[128] E. Oja and Z. Yuan. The fastica algorithm revisited - convergence analysis. *IEEE Transactions on Neural Networks*, 17(6):1370–1381, 2006.

[129] M. Oja. In silico expression profiles of human endogenous retroviruses. In J. Ragapakse, B. Schmidt, and G. E. Volkert, editors, *Proc. of Workshop on Pattern Recognition in Bioinformatics (PRIB 2007), Lecture Notes in Bioinformatics, Vol. 4774*, pages 253–263. Springer, 2007.

[130] M. Oja, J. Peltonen, J. Blomberg, and S. Kaski. Methods for estimating human endogenous retrovirus activities from est databases. *BMC Bioinformatics*, 8 (Suppl2):1–12, 2007.

[131] M. Oja, J. Peltonen, and S. Kaski. Estimation of human endogenous retrovirus activities from expressed sequence databases. In J. Rousu, S. Kaski, and E. Ukkonen, editors, *Probabilistic Modeling and Machine Learning in Structural and Systems Biology (PMSB 2006) 2006*, pages 50–54, Helsinki, Finland, 2006. University of Helsinki.

[132] J. Pakkanen, J. Iivarinen, and E. Oja. The evolving tree - analysis and applications. *IEEE Transactions on Neural Networks*, 17(3):591–603, 2006.

[133] J. Pakkanen, D. T. H. Lai, and M. Palaniswami. A study on multidimensional scaling (mds) algorithms for 3d sensor network localisation. In *ISSNIP/ISPRS Joint International Workshop on Distributed Geoinformatics and Sensing 2007*, 2007.

[134] J. Pakkanen and T. H. Lai, Daniel. On the transmission complexity of centralized and distributed localisation schemes. In *Third International Conference on Intelligent Sensor Networks and Information Processing 2007*, 2007.

[135] K. J. Palomäki, G. J. Brown, and J. Barker. Recognition of reverberant speech using full cepstral features and spectral missing data. In *IEEE International Conference on Acoustics 2006*, pages 289–292, 2006.

[136] M. Pantzar, T. Honkela, I. Nieminen, and A. Wallenius. Dynamic visualization of practice theory. In H. Toiviainen, F. Raitso, and K. Kosonen, editors, *Proceedings of FISCAR'07, abstracts*, page 77, Helsinki, 2007. University of Helsinki.

[137] J. Peltonen, J. Goldberger, and S. Kaski. Fast discriminative component analysis for comparing examples. In *NIPS 2006 workshop on Learning to Compare Examples 2006*, 2006.

[138] J. Peltonen, J. Goldberger, and S. Kaski. Fast semi-supervised discriminative component analysis. In K. Diamantaras, T. Adali, I. Pitas, J. Larsen, T. Papadimitriou, and S. Douglas, editors, *Machine Learning for Signal Processing XVII*, pages 312–317. IEEE, 2007.

[139] J. Peltonen and S. Kaski. Learning when only some of the training data are from the same distribution as test data. In *NIPS 2006 Workshop on Learning when Test and Training Inputs Have Different Distributions 2006*, 2006.

[140] M. Pesonen, M. Laine, R. Vigário, and C. Krause. Brain oscillatory EEG responses reflect auditory memory functions. In *13th World Congress of Psychophysiology 2006*, 2006.

[141] A. Pietilä, M. El-Segaier, R. Vigário, and E. Pesonen. Blind source separation of cardiac murmurs from heart recordings. In *6th Int. Conf. on Independent Component Analysis and Blind Signal Separation Charleston 2006*, pages 470–477, 2006.

[142] K. Puolamäki and S. Kaski. *Proceedings of the NIPS 2005 Workshop on Machine Learning for Implicit Feedback and User Modeling.* Espoo, 2006.

[143] K. Puolamäki, J. Salojärvi, E. Savia, and S. Kaski. Discriminative mcmc. Technical Report Report E1, Helsinki University of Technology, Espoo, Finland, 2006.

[144] A. Puurula and M. Kurimo. Vocabulary decomposition for estonian open vocabulary speech recognition. In *45th Annual Meeting of the Association for Computational Linguistics 2007.* ACL, 2007.

[145] J. Pylkkönen. Lda based feature estimation methods for lvcsr. In *9th International Conference on Spoken Language Processing (Interspeech 2006) 2006*, pages 389–392, 2006.

[146] J. Pylkkönen. Estimating vtln warping factors by distribution matching. In *8th Annual Conference of the International Speech Communication Association (Interspeech 2007) 2007*, pages 270–273, 2007.

[147] M. Pöllä and T. Honkela. Modeling anticipatory behavior with self-organizing neural networks. In D. Dubois, editor, *Computing Anticipatory Systems (CASYS'05)*, Woodbury, New York, 2006. American Institute of Physics.

[148] M. Pöllä and T. Honkela. Probabilistic text change detection using an immune model. In *Proceedings of the International Joint Conference on Neural Networks, IJCNN 2007*, pages 1109–1114, 2007.

[149] M. Pöllä, T. Honkela, H. Bruun, and A. Russell. Analysis of interdisciplinary text corpora. In *Proceedings of Ninth Scandinavian Conference on Artificial Intelligence (SCAI 2006)*, pages 17–22, Espoo, Finland, 2006.

[150] T. Raiko. Higher order statistics in play-out analysis. In T. Honkela, T. Raiko, J. Kortela, and H. Valpola, editors, *Proceedings of the Scandinavian Conference on Artificial Intelligence, SCAI 2006*, pages 189–195, Espoo, 2006. Suomen tekoälyseura.

[151] T. Raiko, A. Ilin, and J. Karhunen. Principal component analysis for large scale problems with lots of missing values. In J. e. a. Kok, editor, *Lecture Notes in Artificial Intelligence, vol. 4701, Springer-Verlag, proceedings of the 18th European Conference on Machine Learning (ECML 2007)*, pages 691–698. Springer-Verlag, 2007.

[152] T. Raiko, M. Tornio, A. Honkela, and J. Karhunen. State inference in variational Bayesian nonlinear state-space models. In D. E. Justinian Rosca and S. H. José C. Principe, editors, *Proceedings of the 6th International Conference on Independent Component Analysis and Blind Source Separation*, pages 222–229. Springer, 2006.

[153] T. Raiko, H. Valpola, M. Harva, and J. Karhunen. Building blocks for variational Bayesian learning of latent variable models. Technical Report Report E4, Helsinki University of Technology, Espoo, 2006.

[154] T. Raiko, H. Valpola, M. Harva, and J. Karhunen. Building blocks for variational Bayesian learning of latent variable models. *Journal of Machine Learning Research*, 8:155–201, 2007.

[155] K. Raivio. Analysis of soft handover measurements in 3G network. In E. Alba, C.-F. Chiasserini, N. Abu-Ghazaleh, and R. L. Cigno, editors, *Proceedings of the Ninth ACM Symposium on Modeling, Analysis and Simulation of Wireless and Mobile Systems*, pages 330–337, New York, 2006. ACM Press.

[156] K. Raju, T. Ristaniemi, J. Karhunen, and E. Oja. Jammer suppression in ds-cdma arrays using independent component analysis. *IEEE Transactions on Wireless Communications*, 5(1):77–82, 2006.

[157] U. Remes, J. Pylkkönen, and M. Kurimo. Segregation of speakers for speaker adaptation in tv news audio. In *IEEE International Conference on Acoustics, Speech and Signal Processing, 2007. ICASSP 2007.*, pages 481–484. IEEE, 2007.

[158] N. Reyhani and A. Lendasse. An empirical dependence measures based on residual variance estimation. In *ISSPA 2007, International Symposium on Signal Processing and its Applications in conjunction with the International Conference on Information Sciences, Signal Processing and its Applications, Sharjah, United Arab Emirates (U.A.E.)*, 2007.

[159] R. Ritala, E. Alhoniemi, T. Kauranne, K. Konkarikoski, A. Lendasse, and M. Sirola. Nonlinear temporal and spatial forecasting: modeling and uncertainty analysis (notes) - masit20. In E. Alakangas and P. Taskinen, editors, *MASI Technology Programme 2005 - 2009 Yearbook 2007*, page 188, Helsinki, 2007. Tekes.

[160] F. Rossi, A. Lendasse, François D., V. Wertz, and M. Verleysen. Mutual information for the selection of relevant variables in spectrometric nonlinear modelling. *Chemometrics and Intelligent Laboratory Systems*, 80(2):215–226, 2006.

[161] J. Rousu, S. Kaski, and E. Ukkonen. *Probabilistic Modeling and Machine Learning in Structural and Systems Biology.* University of Helsinki, Helsinki, 2006.

[162] J.-H. Schleimer and R. Vigário. Reference-based extraction of phase synchronous components. In *16th Int. Conf. on Artificial Neural Networks (ICANN'2006)*, pages 230–238, 2006.

[163] U. Seiffert, B. Hammer, S. Kaski, and T. Villmann. Neural networks and machine learning in bioinformatics - theory and applications. In *Proceedings of ESANN'06, 14th European Symposium on Artificial Neural Networks*, pages 521–532, Evere, Belgium, 2006. d-side.

[164] V. Siivola, M. Creutz, and M. Kurimo. Morfessor and varikn machine learning tools for speech and language technology. In *Proceedings of the 8th Annual Conference of the International Speech Communication Association*, pages 1549–1552. ISCA, 2007.

[165] V. Siivola, T. Hirsimäki, and S. Virpioja. On growing and pruning kneser-ney smoothed n-gram models. *IEEE Transactions on Audio, Speech and Language Processing*, 15(5):1617–1624, 2007.

[166] T. Similä. Self-organizing map visualizing conditional quantile functions with multi-dimensional covariates. *Computational Statistics & Data Analysis*, 50(8):2097–2110, 2006.

[167] T. Similä. Majorize-minimize algorithm for multiresponse sparse regression. In *IEEE International Conference on Acoustics, Speech, and Signal Processing 2007*, pages 553–556, 2007.

[168] T. Similä and J. Tikka. Common subset selection of inputs in multiresponse regression. In *IEEE International Joint Conference on Neural Networks (IJCNN) 2006*, pages 3574–3581, 2006.

[169] T. Similä and J. Tikka. Input selection and shrinkage in multiresponse linear regression. Technical Report Report A85, Helsinki University of Technology, Espoo, 2006.

[170] T. Similä and J. Tikka. Input selection and shrinkage in multiresponse linear regression. *Computational Statistics & Data Analysis*, 52(1):406–422, 2007.

[171] O. Simula, A. Lendasse, F. Corona, S.-P. Reinikainen, M.-L. Riekkola, K. Hartonen, I. Vuorinen, and J. Silén. Developing chemometrics with the tools of information sciences (chess) - masit23. In E. Alakangas and P. Taskinen, editors, *MASI Technology Programme 2005-2009, Yearbook 2007*, pages 201–221, 2007.

[172] J. Sinkkonen, J. Aukia, and S. Kaski. Inferring vertex properties from topology in large networks. In *MLG'07, the 5th International Workshop on Mining and Learning with Graphs, Firenze, Aug 1-3, 2007*, 2007.

[173] M. Sirola. Applying decision analysis method in accident management process control problem. *Systems science*, 32(1):122, 2006.

[174] M. Sirola. New methodologies and visualization techniques for npp control room concept. In *Workshop on Human System Interfaces - Design and Evaluation (HSI) 2006*. OECD Halden Reactor Project, 2006.

[175] M. Sirola, G. Lampi, and J. Parviainen. Failure detection and separation in SOM based decision support. In *Workshop on Self-Organizing Maps 2007*, 2007.

[176] M. Sjöberg, J. Laaksonen, M. Pöllä, and T. Honkela. Retrieval of multimedia objects by combining semantic information from visual and textual descriptors. In *Proceedings of 16th International Conference on Artificial Neural Networks*, pages 75–83, 2006.

[177] M. Sjöberg, H. Muurinen, J. Laaksonen, and M. Koskela. PicSOM experiments in trecvid 2006. In *Proceedings of the TRECVID 2006 Workshop*, pages 262–270, 2006.

[178] M. Sjöberg, V. Viitaniemi, J. Laaksonen, and T. Honkela. Analysis of semantic information available in an image collection augmented with auxiliary data. In I. Maglogiannis, K. Karpouzis, and M. Bramer, editors, *Proceedings of 3rd IFIP Conference on Artificial Intelligence Applications and Innovations*, pages 600–608, Athens, 2006. IFIP.

[179] P. Somervuo, A. Härmä, and S. Fagerlund. Parametric representations of bird sounds for automatic species recognition. *IEEE Transactions on Audio, Speech and Language Processing*, 14(6):2252–2263, 2006.

[180] A. Sorjamaa, J. Hao, N. Reyhani, Y. Ji, and A. Lendasse. Methodology for long-term prediction of time series. *Neurocomputing*, 70(16-18):2861–2869, 2007.

[181] A. Sorjamaa and A. Lendasse. Time series prediction using dirrec strategy. In *ESANN 2006 2006*, pages 143–148, 2006.

[182] A. Sorjamaa and A. Lendasse. Time series prediction as a problem of missing values. In *ESTSP 2007, European Symposium on Time Series Prediction, Espoo (Finland)*, pages 165–174, 2007.

[183] A. Sorjamaa, E. Liitiäinen, and A. Lendasse. Time series prediction as a problem of missing values: Application to estsp2007 and nn3 competition benchmarks. In *IJCNN 2007, International Joint Conference on Neural Networks, Orlando, Florida, USA*, pages 2948–2953, 2007.

[184] A. Sorjamaa, P. Merlin, B. Maillet, and A. Lendasse. A nonlinear approach for the determination of missing values in temporal databases. In *Mashs 2007, Computational Methods for Modelling and Learning in Social and Human Sciences, Brest (France)*, 2007.

[185] A. Sorjamaa, P. Merlin, B. Maillet, and A. Lendasse. SOM+eof for finding missing values. In *ESANN 2007, European Symposium on Artificial Neural Networks, Bruges (Belgium)*, pages 115–120, 2007.

[186] K. Stamatakis, K. Chandrinos, V. Karkaletsis, M. A. Mayer, D. V. Gonzales, M. Labsky, E. Amigo, and M. Pöllä. Aqua, a system assisting labelling experts assess health web resources. In *Proceedings of 12th International Symposium for Health Information Management Research, iSHIMR 2007*, 2007.

[187] M. Sulkava. Modeling how varying data quality affects the ability to detect trends in environmental time series. In V. Mäkinen, G. Lindén, and H. Toivonen, editors, *Summer School on Algorithmic Data Analysis (SADA 2007) and Annual Hecse Poster Session*, page 104, Helsinki, 2007. Helsinki University Printing House.

[188] M. Sulkava, S. Luyssaert, P. Rautio, I. A. Janssens, and J. Hollmén. Modeling the effects of varying data quality on trend detection in environmental monitoring. *Ecological Informatics*, 2(2):167–176, 2007.

[189] M. Sulkava, H. Mäkinen, P. Nöjd, and J. Hollmén. CUSUM charts for detecting onset and cessation of xylem formation based on automated dendrometer data. In I. Horová and J. Hrebícek, editors, *TIES 2007 - 18th annual meeting of the International Environmetrics Society*, page 111, Mikulov, 2007. Masaryk University.

[190] M. Sulkava, J. Tikka, and J. Hollmén. Sparse regression for analyzing the development of foliar nutrient concentrations in coniferous trees. *Ecological Modelling*, 191:118–130, 2006.

[191] P. Tichavský, Z. Koldovský, and E. Oja. Performance analysis of the FastICA for algorithm and cramér-rao bounds for linear independent component analysis. *IEEE Transactions on Signal Processing*, 54(4):1189–1203, 2006.

[192] P. Tichavský, Z. Koldovský, and E. Oja. Speed and accuracy enhancement of linear ICA techniques using rational nonlinear functions. In M. Davies, C. James, S. Abdallah, and M. Plumbley, editors, *Lecture notes in computer science vol. 4666*, pages 285–292, Berliini, 2007. Springer Verlag.

[193] J. Tikka. Input selection for radial basis function networks by constrained optimization. In J. M. de Sá, , L. A. Alexandre, W. Duch, and D. Mandic, editors, *Proceedings of the 17th International Conference on Artificial Neural Networks (ICANN 2007)*, pages 239–248, Porto, 2007.

[194] J. Tikka and J. Hollmén. Long-term prediction of time series using a parsimonious set of inputs and LS-SVM. In A. Lendasse, editor, *Proceedings of the First European Symposium on Time Series Prediction (ESTSP 2007)*, pages 87–96, Espoo, 2007.

[195] J. Tikka and J. Hollmén. A sequential input selection algorithm for long-term prediction of time series. *Neurocomputing*, 2007.

[196] J. Tikka, J. Hollmén, and S. Myllykangas. Mixture modeling of DNA copy number amplification patterns in cancer. In F. Sandoval, A. Prieto, J. Cabestany, and M. Grana, editors, *Proceedings of the 9th International Work-Conference on Artificial Neural Networks (IWANN 2007)*, pages 972–979, San Sebastián, 2007.

[197] J. Tikka, A. Lendasse, and J. Hollmén. Analysis of fast input selection: Application in time series prediction. In *International Conference on Artificial Neural Networks (ICANN) 2006*, pages 161–170, 2006.

[198] M. Tornio, A. Honkela, and J. Karhunen. Time series prediction with variational Bayesian nonlinear state-space models. In *European Symposium on Time Series Predictions (ESTSP 2007) 2007*, pages 11–19, 2007.

[199] M. Tornio and T. Raiko. Variational Bayesian approach for nonlinear identification and control. In M. Alamir and F. Allgöwer, editors, *Proceedings of the IFAC Workshop on Nonlinear Model Predictive Control for Fast Systems, NMPC FS06*, pages 41–46, Grenoble, 2006. Le Laboratoire d'Automatique de Grenoble.

[200] V. T. Turunen and M. Kurimo. Using latent semantic indexing for morph-based spoken document retrieval. In *9th International Conference on Spoken Language Processing (Interspeech 2006) 2006*, pages 341–344, 2006.

[201] V. T. Turunen and M. Kurimo. Indexing confusion networks for morph-based spoken document retrieval. In *SIGIR '07: Proceedings of the 30th annual international ACM SIGIR conference on Research and development in information retrieval*, pages 631–638, New York, NY, USA, 2007. ACM Press.

[202] H. Valpola and A. Honkela. Hyperparameter adaptation in variational Bayes for the gamma distribution. Technical Report Report E6, Helsinki University of Technology, Espoo, 2006.

[203] J. Vandewalle, J. Suykens, B. De Moor, and A. Lendasse. State-of-the-art and evolution in public data sets and competitions for system identification, time series prediction and pattern recognition. In *32nd International Conference on Acoustics, Speech, and Signal Processing (ICASSP), Hawaii Convention Center in Honolulu (USA)*, pages 1269–1272, 2007.

[204] M. Varjokallio and M. Kurimo. Comparison of subspace methods for gaussian mixture models in speech recognition. In *Proceedings of the INTERSPEECH 2007*, pages 2121–2124, 2007.

[205] J. Venna and S. Kaski. Local multidimensional scaling. *Neural Networks*, 19:889–899, 2006.

[206] J. Venna and S. Kaski. Nonlinear dimensionality reduction as information retrieval. Technical Report Report E5, Helsinki University of Technology, Espoo, Finland, 2006.

[207] J. Venna and S. Kaski. Visualizing gene interaction graphs with local multidimensional scaling. In *14th European Symposium on Artificial Neural Networks (ESANN'2006)*, pages 557–562, 2006.

[208] J. Venna and S. Kaski. Comparison of visualization methods for an atlas of gene expression data sets. *Information Visualization*, 6(2):139–154, 2007.

[209] J. Venna and S. Kaski. Nonlinear dimensionality reduction as information retrieval. In M. Meila and X. Shen, editors, *Proceedings of AISTATS 2007, the 11th International Conference on International Conference on Artificial Intelligence and Statistics*. Omnipress, 2007.

[210] V. Viitaniemi and J. Laaksonen. Focusing keywords to automatically extracted image segments using self-organising maps. In *Soft Computing in Image Processing: Recent Advances*, pages 121–156, Berliini/Heidelberg, 2006. Springer.

[211] V. Viitaniemi and J. Laaksonen. Techniques for still image scene classification and object detection. In *16th International Conference on Artificial Neural Networks (ICANN 2006) 2006*, pages 35–44. Springer, 2006.

[212] V. Viitaniemi and J. Laaksonen. Use of image regions in context-adaptive image classification. In *1st International Conference on Semantics And digital Media Technologies (SAMT 2006) 2006*, 2006.

[213] V. Viitaniemi and J. Laaksonen. Empirical investigations on benchmark tasks for automatic image annotation. In *Proceedings of the 9th International Conference on Visual Information Systems (VISUAL 2007)*, pages 96–107. Springer, 2007.

[214] V. Viitaniemi and J. Laaksonen. Evaluating performance of automatic image annotation: example case by fusing global image features. In *Proceedings of Fifth International Workshop on Content-Based Multimedia Indexing (CBMI 2007)*, pages 251–258, Bordeaux, 2007.

[215] V. Viitaniemi and J. Laaksonen. Evaluating the performance in automatic image annotation: Example case by adaptive fusion of global image features. *Signal Processing: Image Communication*, 22(6):557–568, 2007.

[216] V. Viitaniemi and J. Laaksonen. Improving the accuracy of global feature fusion based image categorisation. In *Proceedings of the 2nd International Conference on Semantic and Digital Media Technologies (SAMT 2007)*, pages 1–14, Genova, 2007. Springer.

[217] V. Viitaniemi and J. Laaksonen. Thoughts on evaluation of image retrieval inspired by imageclef 2007 object retrieval task. In *Proceedings of 3rd MUSCLE/ImageCLEF Workshop on Image and Video Retrieval Evaluation*, 2007.

[218] S. Virpioja and M. Kurimo. Compact n-gram models by incremental growing and clustering of histories. In *International Conference on Spoken Language Processing (Interspeech - ICSLP) 2006*, pages 1037–1040, 2006.

[219] S. Virpioja, J. J. Väyrynen, M. Creutz, and M. Sadeniemi. Morphology-aware statistical machine translation based on morphs induced in an unsupervised manner. In *Machine Translation Summit XI 2007*, pages 491–498, 2007.

[220] J. J. Väyrynen, T. Honkela, and L. Lindqvist. Towards explicit semantic features using independent component analysis. In M. Sahlgren and O. E. Knuttson, editors, *Proc. of the Workshop Semantic Content Acquisition and Representation, SCAR 2007, SICS Technical Report T2007-06*, Stockholm, Sweden, 2007. Swedish Institute of Computer Science.

[221] J. J. Väyrynen and T. Lindh-Knuutila. Emergence of multilingual representations by independent component analysis using parallel corpora. In T. Honkela, T. Raiko, J. Kortela, and H. Valpola, editors, *Proceedings of the Ninth Scandinavian Conference on Artificial Intelligence (SCAI 2006)*, pages 101–105, Espoo, 2006. Finnish Artificial Intelligence Society.

[222] J. J. Väyrynen, L. Lindqvist, and T. Honkela. Sparse distributed representations for words with thresholded independent component analysis. In *Proc. of International Joint Conference on Neural Networks (IJCNN 2007)*, pages 1031–1036, 2007.

[223] Z. Yang and J. Laaksonen. A fast fixed-point algorithm for two-class discriminative feature extraction. In *Proceedings of 16th International Conference on Artificial Neural Networks (ICANN 2006)*, pages 330–339, 2006.

[224] Z. Yang and J. Laaksonen. Approximated geodesic updates with principal natural gradients. In *Proceedings of The 2007 International Joint Conference on Neural Networks (IJCNN 2007)*, pages 1320–1325, Orlando, 2007.

[225] Z. Yang and J. Laaksonen. Face recognition using parzenfaces. In *Proceedings of International Conference on Artificial Neural Networks (ICANN'07)*, pages 200–209, Porto, 2007. Springer.

[226] Z. Yang and J. Laaksonen. Multiplicative updates for non-negative projections. *Neurocomputing*, 71(1-3):363–373, 2007.

[227] Z. Yang and J. Laaksonen. Regularized neighborhood component analysis. In *Proceedings of 15th Scandinavian Conference on Image Analysis (SCIA)*, pages 253–262, Aalborg, 2007.

[228] Z. Yang, Z. Yuan, and J. Laaksonen. Projective non-negative matrix factorization with applications to facial image processing. *International Journal of Pattern Recognition and Artificial Intelligence*, 21(8):1353–1362, 2007.

[229] J. Ylipaavalniemi, S. Mattila, A. Tarkiainen, and R. Vigário. Brains and phantoms: An ICA study of fmri. In *6th International Conference on Independent Component Analysis and Blind Signal Separation (ICA 2006) 2006*, pages 503–510, 2006.

[230] J. Ylipaavalniemi, E. Savia, R. Vigário, and S. Kaski. Functional elements and networks in fmri. Technical Report Report E7, Helsinki University of Technology, Espoo, Finland, 2006.

[231] J. Ylipaavalniemi, E. Savia, R. Vigário, and S. Kaski. Functional elements and networks in fMRI. In *Proceedings of the 15th European Symposium on Artificial Neural Networks (ESANN 2007)*, pages 561–566, Bruges, 2007.

[232] J. Ylipaavalniemi and R. Vigário. Subspaces of spatially varying independent components in fMRI. In *Proceedings of the 7th International Conference on Independent Component Analysis and Signal Separation (ICA 2007)*, pages 665–672, London, 2007.

[233] Q. Yu, E. Severin, and A. Lendasse. A global methodology for variable selection: Application to financial modeling. In *Mashs 2007, Computational Methods for Modelling and learning in Social and Human Sciences, Brest (France)*, 2007.

[234] Q. Yu, E. Severin, and A. Lendasse. Variable selection for financial modeling. In *CEF 2007, 13th International Conference on Computing in Economics and Finance Montréal, Quebec, Canada*, pages 115–126, 2007.